

ACCESSORY STRUCTURE CONSTRUCTION PERMIT APPLICATION

CITY OF UNDERWOOD, IOWA Building & Safety Department

Date:

241 Third Street P.O. Box 40 Underwood, IA 51576 Telephone: (712) 566-2373 Fax: (712) 566-2083 Inspection Request: (712) 309-2935

	Permit Amount	Township		Permit Number
JOB SITE ADDRESS:		PARCEL NUM	MBER:	
LEGAL DESCRIPTION: Attachment		.		ACREAGE:
District ☐ R-3 Multiple Family Residential District ☐ R-1M Single	mily Residential Dis Family Mobile/Manu Commercial Distric	ıfactured Home I	Residentia	Residential I District trial District
☐ M-2 General Industrial District ☐ FP Flood Plai			lood Way	District
PROPERTY OWNER:			PHONE	NUMBER:
PROPERTY OWNERS ADDRESS:			STATE:	ZIP CODE:
GENERAL CONTRACTOR NAME:	STA	TE LICENSE #:	PHONE I	NUMBER:
CONTRACTOR MAILING ADDRESS:	•		STATE:	ZIP CODE:
SUB-CONTACTORS NAME & STATE LICENSE #:			•	
Electrical: Plumbing:		Mechanical:		
State License #: State License #:		State License	#:	
Building Type/Use: ☐ Garage ☐ Storage ☐ Shop ☐ Other ☐ Class of Work: ☐ New Structure ☐ Addition ☐ Other ☐ Electrical: ☐ Yes ☐ No			-	
Electrical: Yes No CONSTRUCTION INI	FORMATION			
PROPOSED CONSTRUCTION DESCRIPTION:				
ESTIMATED CONSTRUCTION COST: PROPOSED BUILDING AREA (footage):	square T	YPE OF CONST	RUCTION:	
PERMIT FEES				AMOUNTS
After calculating the square footage with the permit valuation multiplier and determining your total puse the Building Permit Fee Schedule and determine your Building Permit Fee. This permit fee will plan review and collected at the time of permit issuance. (see next page to figure cost)	ill be verified during	Building Pern Fee eceipt #:	nit	3
Figuring the Plan Review Fee at 25% of the calculated Building Permit Fee cost. The Plan Re required deposit at the time of your permit application submittal. (see next page to figure cost)		Plan Review F (submittal depo eceipt #:		3
		Total Amour	nt \$	5
Applicant is responsible for obtaining all other necessary permits or approvals related to the proposed activity, including those that may be required by the State or Federal Government. Applicant will save, indemnify, and keep harmless the City of Underwood, lowa its officers, employees, and agents against all liabilities, judgments cost, and expenses which may accrue against them in consequence of the granting of this permit, inspections, or use of any on –site or off -site improvements placed by virtue hereof, and will in all things strictly comply with all applicable rules, ordinances, and laws. Signature constitutes an attestation by the applicant that application complies with all covenants, conditions, and restrictions.				
APPLICANTS SIGNATURE		DATE _		

Issued By:

ACCESSORY STRURTURES PERMIT VALUATION WORKSHEET

Building Valuation Schedule (Construction Valuation Multipliers to determine Permit Valuation)

BUILDING VALUATION OF:	PER SQUARE FEET
Garage or Storage Building – Attached or Detached (conventional construction)	\$ 28.00 per Sq. Ft.
Storage Basement – Unfinished Storage Area	\$ 18.25 per Sq. Ft.
Pole Barn / Storage Shed (post & truss design)	\$ 10.75 per Sq. Ft.
Existing Foundation w/ new Storage or Garage Built	\$ 14.40 per Sq. Ft.
Open Covered Storage/Carport/Awning & Attached or Detached (covered roof area)	\$ 7.50 per Sq. Ft.
Storage Structure / Shed (post/beam construction)	\$ 9.25 per Sq. Ft.
Existing Pole Barn/Storage Shed moved onto New Foundation	\$ 9.25 per Sq. Ft.
Deck – Elevated Wood Deck not covered (30-inches or greater above ground)	\$ 8.25 per Sq. Ft.
Existing Storage Structure/Shed Moved on New Foundation	\$ 7.50 per Sq. Ft.

Type of Building Area	Square Footage N	<u>lultiplier</u>	<u>Valuations</u>
	x		
	x		
	x		
	x		
	x		
	x		
	FSTIMATE	ED VALUATION: \$	

(Please see last attached sheet for Example)

BUILDING PERMIT FEE SCHEDULE

TOTAL VALUATION	FEE
\$1 to \$500	\$ 23.50
\$501 to \$2,000	\$ 23.50 for the first \$ 500.00 plus \$ 3.05 for each additional \$ 100.00, or fraction thereof, to and including \$ 2,000.00
\$2,001 to \$25,000	\$ 69.25 for the first \$ 2,000.00 plus \$ 14.00 for each additional \$ 1,000.00, or fraction thereof, to and including \$ 25,000.00
\$25,001 to \$50,000	\$ 391.75 for the first \$ 25,000.00 plus \$10.10 for each additional \$ 1,000.00, or fraction thereof, to and including \$ 50,000.00
\$50,001 to \$100,000	\$ 643.75 for the first \$ 50,000.00 plus \$ 7.00 for each additional \$ 1,000.00, or fraction thereof, to and including \$ 100,000.00
\$100,001 to \$500,000	\$ 993.75 for the first \$ 100,000.00 plus \$ 5.60 for each additional \$ 1,000.00, or fraction thereof, to and including \$ 500,000.00
\$500,001 to \$1,000,000	\$ 3,233.75 for the first \$ 500,000.00 plus \$ 4.75 for each additional \$ 1,000.00, or fraction thereof, to and including \$ 1,000,000.00
\$1,000,001 and up	\$ 5,608.75 for the first \$ 1,000,000.00 plus \$ 3.15 for each additional \$ 1,000.00, or fraction thereof

SECTION B – ZONING INFORMATION Table 1 – Height & Area Matrix

			Minimum Yard Setbacks							
DISTRICT	Minimum Lot Area (Sq. ft.)	Maximum Height (ft.)	Front	Side	Street Side	Rear	Maximum Lot Coverage	Minimum Lot Width	Minimum Lot Depth	Maximum Impervious Coverage
OS-A	217,800	35/50	50	50	50	50		450		
R-1	7,500/8,000	35	20	7	20	25	40%	60/70/35	100	60
R-2	6,000/3,000	35	20	7	20	25	40%	60/70/35	100	60
R-3	10,000/2,000	45/35	25/35	10	25	25	60%			75
R-1M	5,200/7,500	15	25	10	20	20		60/70/35	100	
СС	7,500	35	25	7/15	25	10/15				
DC	2,000	45	None	0/10	None	15/25				
M-1	10,000	None	25	10/20	25	10/25				
M-2	10,000	None	25	10/20	25	10/25				
FP & FW	Same as underlying base district									

Note: Provided in Table 1, Height and Area Matrix, are the height and area requirements for each zoning district. Where there are two (2) or more values shown, the first is for the permitted use in the district followed by supplemental requirements for other uses and site conditions. For example, in the R-1 District the minimum lot width is shown as 60/70/35, which means that sixty (60) feet is the minimum lot width for most lots, seventy (70) feet is the minimum lot width for corner lots, and thirty-five (35) feet is the minimum lot width (at the curb) for lots abutting a cul-de-sac. The second value shown for rear and side setbacks in the commercial and industrial zoning districts are for lots that are adjacent to residential areas.

SECTION C- FLOOD PLAIN DEVELOPMENT

Rate Map Information Rate Map		Rate Map Flood Zone:	□ AH □ AO □ X	Floodplain? Yes No	Floodway? Yes No	
T DESCRIPTION	Type of Development	☐ Filing ☐ Routine Maintenance ☐ Substantial Improvement	☐ Grading/Excavation ☐ Minor Improvement ☐ New Construction (Skip Struc	tural Improvemen	ts)	
PROJECT	Detailed Description of Development Proposed	☐ Per Attachment				
STN	Is the existing structure non-conforming?	☐ Not Applicable ☐ There is no e	existing structure			
ME	Size of existing structure(s):					
OVE	Value of existing structure(s):	\$	Source of value of existing structure	Assessor	☐ Appraisal	
IMPR	Size of proposed structure and/or addition:					
URAL	Estimated cost of improvements:	\$				
STRUCTURAL IMPROVEMENTS	Type of structure being constructed/improved:	☐ Residential Dwelling ☐ Non-Residential ☐ Accessory Building ☐ Other:				
DATA	Is property located in a designated floodway?	Yes develop, that the	s, certification must be provided prior to the proposed development will result in No new residential or substantially in	no increase in the	100-year base	
FLOODPLAIN/FLOODWAY D	Is property located in a designated floodway fringe?	If this permit is issued, it will be with the condition that the lowest floor (include of any new or substantially improved residential building will be elevated at I the 100-year base flood elevation. If the proposed development is a limit of the proposed development is a limit of the proposed development is a limit of the proposed development.				
LAI		Elevation of the 100-Year Base Flo		MSL/NGVD:		
ODP	MSL/NGVD=Mean Sea Level/National Geodetic	Elevation of the proposed developm (natural ground/grade):		MSL/NGVD:		
JOJ.	Vertical Datum of 1929	Required elevation/flood proofing le lowest floor:		MSL/NGVD:		
		Proposed elevation/flood proofing lowest floor (including basement):		MSL/NGVD:		

Please make be certain that you want to proceed with this project when you submit your application. The fees that you submit are not refundable once the application is submitted.

PLAN SUBMITTAL REQUIREMENTS

GENERAL INFORMATION FOR SUBMITTAL

- Submit two (02) complete sets of plans in blueprint or photocopy form, with a plan check deposit.
 - Provide two (02) additional plot (site) plans if parcel is on septic along with a completed septic permit application
 - Pencil drawings or original drawings are not acceptable.
- If plans are prepared by an Iowa Registered Professional, ALL plans must be wet stamped, signed and dated.
- If plans are NOT prepared by a Licensed Iowa Design Registered Professional then either A or B option shall be used on the plans.
 - a. Iowa Licensed Contractor must place their business name and license number on all sheets prepared by them along with the required signature and date.
 - b. Owner/Builder must place their name on all sheets and note on the cover sheets, denoting their responsibility for the design and preparations of the plans.
- Provide Title Block on each sheet of plans with the following information;
 - Address, Assessor's Parcel Number of proposed construction site
 - Name and Address of design professional, contractor or owner/builder
- The cover sheet for the plans must indicate the square footage break-down, providing areas separately for the living (first & second floors) area, basement (unfinished) area, garage/storage area and all covered exterior patio, porches and deck areas.
- Plans must be drawn to an approved scale and fully dimensioned: Plot (site) plan approved scales;1"=10, 1"=20' & 1"=30'/Construction plans (other than details) approved scales; 1/4"=1'-0" & 1/8"=1'-0" can be used if pre-approved by Department Staff.
- Minimum paper size for all plan sets; 11"X 17" paper.
- Revisions to plans must be made on the original drawings and new blueprints or photocopies submitted. No pencil drawing or marks will be accepted on plans at submittal.

Plans and specifications must be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of the technical codes and all relevant laws, ordinances, rules and regulations. The following information must be incorporated on the plans as outlined below:

PLOT PLAN OR SITE PLAN

- 1. Provide North Arrow and required dimension scale.
- 2. Provide APN and address of proposed project.
- 3. Show the entire complete parcel including all property lines dimensional, all easements and all existing structures.
- 4. Provide structures (complete) footprint along with all setbacks (distances between proposed structure and the property lines) and distances between other structures on the parcel (existing and proposed).
- 5. Show required and approved drainage around structure; provide single contour lines showing direction (slope) of flow, finished floor elevation and existing pad elevation grade.
- 6. If available provide or note location of all utility laterals to the structure (water, sewer, septic, replacement field, well power, gas (propane), phone & TV (cable).
- 7. Provide locations and call out street(s) name(s) and new (if required) or show existing curb, gutter, sidewalk, driveway(s) (proposed cut for new driveway) or County approved residential driveway approach(s)
- 8. If proposed project is in a flood zone, provide flood zone boundary lines and, if applicable, provide locations of designated multiple flood zone areas.

FOUNDATION PLAN & FOOTING PLAN

- 1. Provide structure foundation footprint, location and size of all piers and column footings, show all step footings and stem-walls-dimension all construction points-provide details for all footings and piers.
- 2. Show all locations, size, type, and spacing of floor joists, girders and beams-show locations of all double joists for bearing walls.

FLOOR PLAN

- 1. Provide floor layout for each level or story and dimension all walls, openings and construction points.
- 2. Indicate and label the use of each room within the structure.
- 3. Provide all window locations, sizes and type (fixed, slider, casement, etc.).
- 4. Note all required fire-wall(s), materials and locations.
- 5. Provide all door locations, sizes, types and direction of swing.
- 6. If applicable, show location and size of attic access (min. 22x30).
- 7. If applicable, provide locations of all plumbing fixtures (toilets, sinks, hose bibs, any other plumbing equipment).
- 8. Provide location of all built-in cabinets, shelves and fixed any applications.

BUILDING SECTIONS

- 1. Show a typical building cross section to clearly show framing details.
- 2. Provide complete construction details including bearing walls, spans of rafters, ceiling joists or trusses spacing and sizes.
- 3. Call out roof sheathing type and size.
- 4. Call out roof slope and type of roof covering.
- 5. Provide details or note all required connections of columns, posts and beams.
- 6. If applicable, provide and show insulation of R-value in ceiling and walls.
- 7. Provide dimensions for all points of construction.

ROOF FRAMING PLAN

- 1. Provide required attic ventilation calculations. (1/150 of the area of the space ventilated).
- 2. Provide locations, types and size of attic roof vents.
- 3. If applicable, show location and size of attic access (min. 22"x30").
- 4. Provide and call out all beam and header locations, type and sizes.
- 5. Provide any special framing detail or special connections.
- 6. Call out all locations and types of mechanical hardware to be used.
- 7. Show any and all roof features (sky-lights) with required manufacturer specifications.

<u>Pre-Manufactured Trusses</u> - each truss will be designed by a Registered Iowa Engineer. Two (2) truss packages should be submitted with plans and shall bear the wet stamp, signature and date from the engineer.

- Provide location and spacing for trusses layout per truss drawings
- Provide locations of all girder trusses as per truss drawings.

Conventional Roof Framing - design as per IRC Chapter 8

Provide location, size and spacing for all roof joists, rafters and ridge beams.

EXTERIOR ELEVATIONS

- 1. Provide typical exterior elevation views (4-sides typical) of structure.
- 2. Show all exterior windows and door locations.
- 3. Call out all exterior finishes (siding/stucco/brick) and any special features.
- 4. Provide vertical height dimensioning from finish grade to finish floor(s), wall heights and roof peaks on each elevation side along with roof pitch slopes and overhang lengths.

ELECTRICAL PLAN (if applicable)

- 1. Provide complete floor(s) plan, identifying room areas, doors and windows.
- 2. Provide all electrical receptacles (outlets) and identify all required GFCI receptacles and dedicated receptacles (outlets/lights/switches) with single line designation, any sub-panels and identify any 240-volt receptacles.
- 3. Show location of main meter/service panel and provide panel size (amperes) along with description or required grounding.
- 4. Provide location of all built-in cabinets, shelves and fixed appliances with all electrical serving the counter areas.
- 5. Provide location of all electrical disconnects in relationship to fixed equipment.
- 6. Electrical calculation may be required for a particular size of project (check with the plan review staff).

EXAMPLE ONLY

EXAMPLE OF PERMIT FEE FOR ACCESSORY (GARAGE) STRUCTURE

Type of Building Area	Square Footage		<u>Multiplier</u>	<u>Valuation</u>
3-Car Garage	<u>600</u>	X	<u>\$ 28.00</u>	<u>\$ 16,800.00</u>
Cover Storage (attached)	<u>150</u>	X	<u>\$ 9.50</u>	<u>\$ 1,425.00</u>

Permit Valuation: \$ 18,225.00

Proposed Total Permit Valuation of \$ 18,225.00 For the first \$2,000.00 = \$69.25, plus \$14.00 for each additional 1,000, or fraction thereof... $[(\$18,225-2,000=\$16,225)=(\underline{16,225}=16.225\times14.00)=\$227.15+\$69.25=\$296.40]$ 1,000

Note: Round to the nearest ¼ of a dollar (.25)

EXAMPLE OF PERMIT FEE FOR ACCESSORY (STORAGE/SHED) STRUCTURE

(Post & Beam Construction)

Type of Building Area	Square Footage		<u>Multiplier</u>	<u>Valuation</u>
20'x40' Storage/Shed Building (post & beam construction)	<u>800</u>	X	<u>\$ 9.25</u>	<u>\$ 7,400.00</u>
(post & beam construction)			Permit Val	uation: \$ 7 400 00

Proposed Total Permit Valuation of \$ 7,400.00 For the first \$2,000.00 = \$69.25, plus \$14.00 for each additional 1,000, or fraction thereof... $[(\$7,400-2,000=\$5,400)=(\underline{5,400}=5.4\times14.00)=\$75.60+\$69.25=\$144.85]$

Note: Round to the nearest ¼ of a dollar (.25)

BUILDING FEE	\$ <u>144.75</u>
(25% of building fee) PLAN REVIEW	\$ <u>36.25</u>
(Due upon submittal) TOTAL PERMIT FEE	\$ 181.00

EXAMPLE ONLY